

2580 Creekview Road Moab, Utah 84532 435/719-2018 435/719-2019 Fax

**December 22, 2006** 

Fluid Minerals Group Bureau of Land Management Vernal Field Office 170 South 500 East Vernal, Utah 84078

RE: Application for Permit to Drill—Dominion Exploration & Production, Inc.

**LCU 16-12H** 

Surface Location: 465' FSL & 377' FEL, SE/4 SE/4,
Target Location: 660' FSL & 660' FEL, SE/4 SE/4,
Section 12, T11S, R20E, SLB&M, Uintah County, Utah

#### **Dear Fluid Minerals Group:**

On behalf of Dominion Exploration & Production, Inc. (Dominion), Buys & Associates, Inc. respectfully submits the enclosed original and three copies of the Application for Permit to Drill (APD) for the above referenced BLM administered directional well. The location of the surface and target location as well as all points along the intended well bore path are within Cause No. 259-01 and are not within 460 feet of the unit boundary or any uncommitted tracts. Included with the APD is the following supplemental information:

Exhibit "A" - Survey plats, layouts and photos of the proposed well site;

Exhibit "B" - Proposed location maps with access and utility corridors;

Exhibit "C" - Production site layout;

Exhibit "D" - Drilling Plan;

Exhibit "E" - Surface Use Plan;

Exhibit "F" - Typical BOP and Choke Manifold diagram.

Please accept this letter as Dominion's, written request for confidential treatment of all information contained in and pertaining to this application.

Thank you very much for your timely consideration of this application. Please feel free to contact myself or Barbara Lester of Dominion at 405-749-5237 if you have any questions or need additional information.

Sincerely,

Don Hamilton Agent for Dominion

cc: Diana Whitney, Division of Oil, Gas and Mining Barbara Lester, Dominion Ken Secrest, Dominion

RECEIVED DEC 2 8 2006

FILE COPY

DIV. OF OIL, GAS & MINING

CONFIDENTIAL

Form 3160-3 (February 2005) UNITED STATES	•	FORM APPROVED OMB No. 1004-0137 Expires March 31, 2007						
DEPARTMENT OF THE I BUREAU OF LAND MAN	NTERIOR				5. Lease Serial No. UTU-73436			
APPLICATION FOR PERMIT TO		REENT	ER		6. If Indian, Allotee N/A	or Tribe	Name	
la. Type of work: DRILL REENTE	ir R			•	7 If Unit or CA Agreement, Name and No. Little Canyon Unit			
ib. Type of Well: Oil Well Gas Well Other	Sin	ngle Zone	Multip	ole Zone	8. Lease Name and LCU 16-12H	Well No.		
2. Name of Operator  Dominion Exploration & Production, In	ıc.				9. API Well No.	047.	389 47	
3a. Address 14000 Quali Springs Parkway, Suite 600 Okiahoma City, OK 73134	Oklahoma City, OK 73134 405-749-5237						ту	
4. Location of Well (Report location clearly and in accordance with an	y State requirem	ents.*)			11. Sec., T. R. M. or I	31k. and Su	rvey or Area	
At surface 465' FSL & 377' FEL, SE/4 SE/4, At proposed prod. zone 666' FSL & 660' FEL, SE/4 SE/4,					Section 12, T	18, <b>R20</b> 1	E, SL <b>B&amp;</b> M	
14. Distance in miles and direction from nearest town or post office* 15.48 miles south of Ouray, Utah					12. County or Parish Uintah		13. State UT	
15. Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drig, unit line, if arry)  377'	16. No. of a			17. Spacin	ing Unit dedicated to this well			
18. Distance from proposed location*	19. Proposed Depth 20. BLM			20. BLM/	BIA Bond No. on file			
to nearest well, drilling, completed, applied for, on this lease, ft. 1,420'	9,584' MD, 9,475' TVD WY				3322			
21. Elevations (Show whether DF, KDB, RT, GL, etc.) 5,588' GR	22. Approxi	mate date w <b>04/18/2</b>		rt <sup>e</sup>	23. Estimated duration 14 days			
	24. Attac	chments						
The following, completed in accordance with the requirements of Onshor	re Oil and Gas	Order No.1	, must be a	ttached to th	is form:			
<ol> <li>Well plat certified by a registered surveyor.</li> <li>A Drilling Plan.</li> <li>A Surface Use Plan (if the location is on National Forest System SUPO must be filed with the appropriate Forest Service Office).</li> </ol>	Lands, the	5. Oper 6. Suc	20 above). ator certific n other site	cation	ons unless covered by a covered		·	
25. Signature Don Hamilton		BLN (Printed/T) Don Ham	ped)			Date 12/	22/2 <b>0</b> 06	
Title Agent for Dominion					· · · · · · · · · · · · · · · · · · ·			
Approved by (Signature)	1	(Printed/T)	• •	HUL		Date	 F0-1K	
Title				MANAGE		4		
Application approval does not warrant or certify that the applicant hold conduct operations thereon. Conditions of approval, if any, are attached.	s legal or equi	table title t	those righ	ets in the sul	oject lease which would	entitle the	applicant to	
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a ci States any false, fictitious or fraudulent statements or representations as				willfully to r	nake to any department	or agency	of the United	
*(Instructions on page 2)								
Feder Action BHU	al Approva Is Nacoss	il of this tary	RECE	EIVE		NFII	DENTIA	

Sur 618104x 44139184 39.868982 -104.619098

618017X 4413977Y 39.869523

-109.620100

DEC 2 8 2006

DIV. OF OIL, GAS & MINING

4. L3	W 1/4 Cor. Sec. 1 Set Marked Stone, Pile of Stones  N89*57'50"W - 2657.89' (Meas.	R20E, S.L.	B. & M. R 20	R 21 E	DOMINION EXPLR. & PROD., INC.  Well location, LCU #16-12H, located as shown in the SE 1/4 SE 1/4 of Section 12, T11S, R20E, S.L.B.&M., Uintah County, Utah.
S 1/4 Sec. 3 Sei Marked Stone, Pile of Stones	Section Corner Re-Established Using Double Proportion Method (Not Set On Ground)  LEGEND:	Set Marked Stone, Pile of Stones	Set Marked Stone, Pile of Stones	43.69' (Meas.)	BASIS OF ELEVATION  SPOT ELEVATION AT THE SOUTHWEST CORNER OF SECTION 20, T10S, R20E, S.L.B.&M., TAKEN FROM THE BIG PACK MTN. NW QUADRANGLE, UTAH, UINTAH COUNTY, 7.5 MINUTE QUAD. (TOPOGRAPHIC MAP)PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL
W - 5270.30' (Meas.)	_ L = 90° SYMBOL = PROPOSED WELL HEAD. ▲ = SECTION CORNERS LOCATE △ = SECTION CORNERS RE-EST BY DOUBLE PROPORTION M (Not Set On Ground)	ABLISHED.	Marked Stone, Pile of Stones, Uintah County Alum. Cap	NO0'18'59"E - 26	SURVEY. SAID ELEVATION IS MARKED AS BEING 5251 FEET.
NO0'31'33'	LCU #16 Elev. Ungi	-12H raded Ground = <u>558</u>	88' Hole 660'	N00'03'59"E 2639.68' (Meas.)	BEST OF MY KNOWLEDGE AND BELIEF
Sec. 11 Set Stone	Double Proportion Method (Not Set On Ground)	BASIS OF BEARINGS IS  (NAD 83)  LATITUDE = 39'52  LONGITUDE = 109'37  (NAD 27)  LATITUDE = 39'52	BEARINGS  3 A G.P.S. OBSERVATION  308.09" (39.868914)  310.96" (109.619711)  308.21" (39.868947)  308.48" (109.619022)	Pile o	REGISTRATION NAME OF STATE OF UTAH  UINTAH ENGINEERING & LAND SURVEYING  85 SOUTH 200 EAST - VERNAL, UTAH 84078  (435) 789-1017  CALE  1" = 1000'  ARTY  B.B. B.C. C.H.  REFERENCES  G.L.O. PLAT  FILE  DOMINION EXPLR. & PROD., INC

#### DIRECTIONAL DRILLING PLAN

## **APPROVAL OF OPERATIONS**

#### **Attachment for Permit to Drill**

Name of Operator:

**Dominion Exploration & Production** 

Address:

14000 Quail Springs Parkway, Suite 600

Oklahoma City, OK 73134

Well Location:

LCU 16-12H

SHL: 465' FSL & 377' FEL, Section 12-11S-20E BHL: 660' FSL & 660' FEL, Section 12-11S-20E

Uintah County, UT

1. GEOLOGIC SURFACE FORMATION

Uintah

#### 2. ESTIMATED DEPTHS OF IMPORTANT GEOLOGIC MARKERS

<u>Formation</u>	Depth (MD)
Wasatch Tongue	3,634'
Green River Tongue	3,959
Wasatch	4,099
Chapita Wells	4,949'
Uteland Buttes	6,034
Mesaverde	6,804

#### 3. ESTIMATED DEPTHS OF ANTICIPATED WATER, OIL, GAS OR MINERALS

<u>Formation</u>	Depth (MD)	<u>Type</u>
Wasatch Tongue	3,634'	Oil
Green River Tongue	3,959'	Oil
Wasatch	4,099'	Gas
Chapita Wells	4.949'	Gas
Uteland Buttes	6,034	Gas
Mesaverde	6,804	Gas

#### 4. PROPOSED CASING PROGRAM

All casing used to drill this well will be new casing.

<u>Type</u>	<u>Size</u>	Weight	<u>Grade</u>	Conn.	<u>Top</u>	Bottom (MD)	<u>Hole</u>
Surface	13-3/8"	48.0 ppf	H-40	STC	0,	500'	17-1/2"
Intermediate	9-5/8"	36.0 ppf	J-55	STC	0'	2,854'	12-1/4"
Production	5-1/2"	17.0 ppf	MAV-80	LTC	0,	9,504'	7-7/8"

## 5. OPERATOR'S MINIMUM SPECIFICATIONS FOR PRESSURE CONTROL

Surface hole: No BOPE will be utilized.

Intermediate hole: To be drilled using a diverter stack with rotating head to divert flow from rig floor.

<u>Production hole</u>: Prior to drilling out the intermediate casing shoe, 3,000 psi or greater BOP equipment will be installed. The pipe rams will be operated at least once per day from surface to total depth. The blind rams will be tested once per day from surface to total depth if operations permit.

#### **DRILLING PLAN**

#### APPROVAL OF OPERATIONS

A diagram of the planned BOP equipment for normal drilling operations in this area is attached. As denoted there will be two valves and one check valve on the kill line, two valves on the choke line, and two adjustable chokes on the manifold system. The BOP "stack" will consist of two BOP rams (1 pipe, 1 blind) and one annular type preventer, all rated to a minimum of 3,000 psi working pressure.

The BOP equipment will be pressure tested prior to drilling out surface casing shoe and anytime a new casing string is set..

All test pressures will be maintained for fifteen (15) minutes without any significant pressure decrease. Clear water will be circulated into the BOP stack and lines prior to pressure testing. The following test pressures will be used as a minimum for various equipment items.

1.	Annular BOP	1,500 psi
2.	Ram type BOP	3,000 psi
3.	Kill line valves	3,000 psi
4.	Choke line valves and choke manifold valves	3,000 psi
5.	Chokes	3,000 psi
6.	Casing, casinghead & weld	1,500 psi
7.	Upper kelly cock and safety valve	3,000 psi
8.	Dart valve	3,000 psi

#### 6. MUD SYSTEMS

- An air or an air/mist system may be used to drill to drill the surface hole until water influx becomes too great.
- KCL mud system will be used to drill well.
- The mud system will be monitored manually/visually.

Depths (MD)	Mud Weight (ppg)	Mud System
0' - 500'	8.4	Air foam mist, no pressure control
<b>500'</b> – 2,854'	8.6	Fresh water, rotating head and diverter
2,854' = 9,504'	8.6	Fresh water/2% KCL/KCL mud system

#### BLOOIE LINE

- An automatic igniter will not be installed on blooie line. The blooie will have a contant ignition source.
- A "target tee" connection will be installed on blooie line for 90° change of directions for abrasion resistance.
- "Target tee" connections will be a minimum of 50' from wellhead.
- The blooie line discharge will be a minimum of 80' from the wellhead.

#### 8. AUXILIARY EQUIPMENT TO BE USED

- a. Kelly cock.
- b. Full opening valve with drill pipe connection will be kept on floor. Valve will be used when the kelly is not in string.

#### 9. TESTING. LOGGING, AND CORING PROGRAMS TO BE FOLLOWED

- A drillstem test in the Wasatch Tongue is possible.
- One electric line wire-log will be run from total depth to intermediate casing.
- The gamma ray will be left on to record from total depth to intermediate casing.
- Other log curves (resistivities, porosity, and caliper) will record from total depth to intermediate casing.
- A dipmeter, percussion cores, or rotary cores may be run over selected intervals.

#### 10. ANTICIPATED ABNORMAL PRESSURES OR TEMPERATURES EXPECTED

- Expected BHP 1,500-2,000 psi (lower than normal pressure gradient).
- No abnormal temperature or pressures are anticipated.
- The formations to be penetrated do not contain known H2S gas.

#### WATER SUPPLY

- No water pipelines will be laid for this well.
- No water well will be drilled for this well.
- Drilling water for this will be hauled on the road(s) shown in Attachment No. 3.
- Water will be hauled from: Water Permit # 43-10447 Section 9, Township 8 South, Range 20 East

#### **DRILLING PLAN**

#### APPROVAL OF OPERATIONS

#### 12. CEMENT SYSTEMS

- Surface Cement:
  - Drill 17-1/2" hole to 500' and cement 13-3/8" to surface with 450 sks class "C" cement with 2% CaCl2 and 1/4 #/sk. Polyflake (volume includes 70% excess). Top out as necessary. Casing to be centralized with a total of
- Intermediate Casing Cement:
  - Drill 12-1/4" hole to 2.854' (MD) +, run and cement 9-5/8" to surface.
  - Pump 20 bbls lightly weighted water spacer followed by 5 bbls fresh water. Displace with any available water.
  - Casing to be run with: a) guide shoe b) insert float c) three (3) centralizers, one on each of first 3 joints d) stop ring for plug one joint off bottom e) bottom three joints thread locked f) pump job with bottom plug only. Casing to be centralized with a total of 15 centralizers.
  - Cement to surface not required due to surface casing set deeper than normal.

					<u>Hole</u>	<u>Cement</u>
<u>Type</u>	Sacks	Interval (MD)	<b>Density</b>	Yield Yield	<u>Volume</u>	<u>Volume</u>
Lead	328	0'-2.354'	10.5 ppg	4.14 CFS	775 <b>CF</b>	1356 <b>CF</b>
Tail	254	2,354'-2,854'	15.6 ppg	1.2 CFS	174 <b>CF</b>	304 <b>CF</b>

Intermediate design volumes based on 75% excess of gauge hole.

Lead Mix:

Halliburton Prem Plus V blend. Blend includes Class "C" cement, gel, salt, gilsonite, EX-1 and HR-7.

Slurry vield:

4.14 cf/sack

Slurry weight: 10.5 #/gal.

Water requirement:

26.07 gal/sack

Compressives (a) 110°F: 72 psi after 24 hours

Tail Mix:

Class "G" Cement, 1/4 lb/sk Cellophane Flakes + 2% bwoc Calcium Chloride + 46.5% fresh water.

Slurry yield:

1.20 cf/sack

Slurry weight: 15.6 #/gal.

1 hr. 5 min. (a) 110 °F. Pump Time:

Compressives (a) 110 °F: 2,500 psi after 24 hours

#### c. Production Casing Cement:

- Drill 7-7/8" hole to 9.504' (MD)  $\pm$ , run and cement 5 1/2".
- Pump 20 bbl Mud Clean II unweighted spacer, followed by 20 Bbls fresh H20 spacer.
- Displace with 2% KCL.
- Production casing to be centralized with 30 centralizers.

					Hole	<u>Cement</u>
<u>Type</u>	Sacks	Interval (MD)	<b>Density</b>	Yield	<u>Volume</u>	<u>Volume</u>
Lead	90	3,299'-4,099'	11.5 ppg	3.12 CFS	139 <b>CF</b>	277 <b>CF</b>
Tail	1080	4,099'9,504'	13.0 ppg	1.75 CFS	936 <b>CF</b>	1873 <b>CF</b>

Production design volumes based on 35% excess of gauge hole. Actual volumes will be calculated from caliper log to bring lead cement to 800' above top of Wasatch + 15% excess, and tail cement to top of Wasatch +15%.

Lead Mix:

Halliburton Prem Plus V blend. Blend includes Class "C" cement, gel, salt, gilsonite, EX-1 and HR-7.

Slurry yield:

3.12 cf/sack

Slurry weight:

11.60 #/gal.

Water requirement:

17.71 gal/sack

Compressives (a), 130°F: 157 psi after 24 hours

Tail Mix:

Halliburton HLC blend (Prem Plus V/JB flyash). Blend includes Class "G" cement, KCl, EX-1, Halad 322,

& HR-5.

Slurry yield:

1.75 cf/sack

Slurry weight:

13.00 #/gal.

Water requirement:

9.09 gal/sack

Compressives @ 165°F: 905 psi after 24 hours


# 13. ANTICIPATED STARTING DATE AND DURATION OF THE OPERATIONS

Starting Date:

April 18, 2006 2007

**Duration:** 

14 Days





# Ryan Energy Technological **Planning Report**



Page:

**Dominion Exploration & Product** 

Field: Site: Well:

Uintah County, Utah LCU No. 16-12H Well #16-12H

12/8/2006 Date:

Time: 10:31:48

Co-ordinate(NE) Reference: Well: Well #16-12H, True North

Vertical (TVD) Reference:

Est RKB 5605.0

Section (VS) Reference: Plan:

Well (0.00N,0.00E,304.71Azi) Plan #1

Wellpath: Field:

Uintah County, Utah

Utah - Natural Buttes

USA

Original Hole

Map System: US State Plane Coordinate System 1983

Geo Datum: GRS 1980 Sys Datum: Mean Sea Level Map Zone:

Utah, Central Zone

Coordinate System: Geomagnetic Model: Well Centre igrf2005

Site:

LCU No. 16-12H

Section 12, T11S, R20E, S.L.B, & M.

Uintah County, Utah

Site Position: Geographic From:

Northing: Easting:

Easting:

7126537.23 ft 2168122.16 ft Latitude: Longitude: 39 52

109 37

8.090 N 10.960 W

**Position Uncertainty:** Ground Level:

0.00 ft 5587.00 ft

North Reference: **Grid Convergence:**  True 1.20 deg

Well:

Well #16-12H

Original Hole

+N/-S

Est RKB

0.00 ft Northing:

7126537.23 ft 2168122.16 ft

Latitude: Longitude:

**Slot Name:** 

39 52

8.090 N

Surface

+E/-W **Position Uncertainty:** 

0.00 ft 0.00 ft

**Drilled From:** 

109 37

10.960 W

0.00 ft

Well Position:

Wellpath:

Current Datum:

Magnetic Data: Field Strength:

Vertical Section:

52748 mT

12/8/2006

Depth From (TVD)

Height 5605.00 ft

+N/-S

ft

0.00

Tie-on Depth:

**Above System Datum:** 

Mean Sea Level 11.68 deg

Declination:

Mag Dip Angle:

65.86 deg Direction

+E/-W ft 0.00

deg 304.71

9475.00 Plan #1

**Date Composed:** 

12/8/2006

Yes Principal:

Plan:

Version: Tied-to:

From Surface

#### **Plan Section Information**

MD ft	Incl deg	Azim deg	TVD ft	+N/-S ft	+E/-W ft	DLS deg/100ft	Build deg/100ft	Turn deg/100ft	TFO deg	Target
0.00	0.00	304.71	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
540.00	0.00	304.71	540.00	0.00	0.00	0.00	0.00	0.00	0.00	
890.92	10.53	304.71	888.95	18.31	-26.43	3.00	3.00	0.00	304.71	
2388.45	10.53	304.71	2361.27	174.11	-251.34	0.00	0.00	0.00	0.00	
2809.54	0.00	304.71	2780.00	196.08	-283.05	2.50	-2.50	0.00	180.00	Vertical Point
9504.54	0.00	304.71	9475.00	196.08	-283.05	0.00	0.00	0.00	304.71	PBHL

#### Survey

MD ft	Incl deg	Azim deg	TVD ft	+N/-S ft	+E/-W ft	VS ft	DLS deg/100ft	Build deg/100ft	Turn deg/100ft	Tool/Comment
540.00	0.00	304.71	540.00	0.00	0.00	0.00	0.00	0.00	0.00	
600.00	1.80	304.71	599.99	0.54	-0.77	0.94	3.00	3.00	0.00	
700.00	4.80	304.71	699.81	3.81	-5.51	6.70	3.00	3.00	0.00	
800.00	7.80	304.71	799.20	10.06	-14.53	17.67	3.00	3.00	0.00	
890.92	10.53	304.71	888.95	18.31	-26.43	32.15	3.00	3.00	0.00	
900.00	10.53	304.71	897.88	19.25	-27.79	33.81	0.00	0.00	0.00	
1000.00	10.53	304.71	996.19	29.66	-42.81	52.08	0.00	0.00	0.00	
1100.00	10.53	304.71	1094.51	40.06	-57.83	70.35	0.00	0.00	0.00	
1200.00	10.53	304.71	1192.83	50.46	-72.85	88.62	0.00	0.00	0.00	
1300.00	10.53	304.71	1291.14	60.87	-87.87	106.89	0.00	0.00	0.00	
1400.00	10.53	304.71	1389.46	71.27	-102.88	125.16	0.00	0.00	0.00	
1500.00	10.53	304.71	1487.78	81.68	-117.90	143.43	0.00	0.00	0.00	
1600.00	10.53	304.71	1586.09	92.08	-132.92	161.70	0.00	0.00	0.00	
1700.00	10.53	304.71	1684.41	102.49	-147.94	179.97	0.00	0.00	0.00	
1800.00	10.53	304.71	1782.73	112.89	-162.96	198.24	0.00	0.00	0.00	



# Ryan Energy Technological **Planning Report**



Page:

2

Company: Dominion Exploration & Product

Field: Uintah County, Utah LCU No. 16-12H Site:

Well #16-12H Well: Wellpath: Original Hole

Date: 12/8/2006 Time: 10:31:48 Co-ordinate(NE) Reference: Well: Well #16-12H, True North

Vertical (TVD) Reference:

Est RKB 5605.0 Well (0.00N,0.00E,304.71Azi)

Section (VS) Reference: Plan #1

Survey										
MD ft	Incl deg	Azim deg	TVD ft	+N/-S ft	+E/-W ft	VS ft	DLS deg/100ft	Build deg/100ft	Turn deg/100ft	Tool/Comment
1900.00	10.53	304.71	1881.04	123.29	-177.98	216.51	0.00	0.00	0.00	
2000.00	10.53	304.71	1979.36	133.70	-193.00	234.78	0.00	0.00	0.00	
2100.00	10.53	304.71	2077.68	144.10	-208.02	253.05	0.00	0.00	0.00	
2200.00	10.53	304.71	2175.9 <del>9</del>	154.51	-223.04	271.32	0.00	0.00	0.00	
2300.00	10.53	304.71	2274.31	164.91	-238.05	289.60	0.00	0.00	0.00	
2388.45	10.53	304.71	2361.27	174.11	-251.34	305.76	0.00	0.00	0.00	
2400.00	10.24	304.71	2372.63	175.30	-253.05	307.84	2.50	-2.50	0.00	
2500.00	7.74	304.71	2471.40	184.19	-265.89	323.46	2.50	-2.50	0.00	
2600.00	5.24	304.71	2570.75	190.63	-275.18	334.76	2.50	-2.50	0.00	
2700.00	2.74	304.71	2670.50	194.59	-280.90	341.71	2.50	-2.50	0.00	
2809.54	0.00	304.71	2780.00	196.08	-283.05	344.33	2.50	-2.50	0.00	Vertical Point
2854.54	0.00	304.71	2825.00	196.08	-283.05	344.33	0.00	0.00	0.00	Intermediate
2900.00	0.00	304.71	2870.46	196.08	-283.05	344.33	0.00	0.00	0.00	
3000.00	0.00	304.71	2970.46	196.08	-283.05	344.33	0.00	0.00	0.00	
3100.00	0.00	304.71	3070.46	196.08	-283.05	344.33	0.00	0.00	0.00	
3200.00	0.00	304.71	3170.46	196.08	-283.05	344.33	0.00	0.00	0.00	
3300.00	0.00	304.71	3270.46	196.08	-283.05 -283.05	344.33	0.00	0.00	0.00	
3400.00	0.00	304.71	3370.46	196.08	-283.05 -283.05	344.33	0.00	0.00	0.00	
3500.00	0.00	304.71	3470.46	196.08	-283.05 -283.05	344.33	0.00	0.00	0.00	
3600.00	0.00	304.71	3570.46	196.08	-283.05	344.33	0.00	0.00	0.00	
0004.54	0.00	204.74	2005.00	400.00	000.05	244.22	0.00	0.00	0.00	Mantch Tongue
3634.54	0.00	304.71	3605.00	196.08	-283.05 -283.05	344.33 344.33	0.00 0.00	0.00 0.00	0.00 0.00	Wasatch Tongue
3700.00	0.00	304.71 304.71	3670.46 2770.46	196.08 196.08				0.00	0.00	
3800.00	0.00		3770.46 3970.46		-283.05 -283.05	344.33 344.33	0.00 0.00	0.00	0.00	
3900.00 3959.54	0.00 0.00	304.71 304.71	3870.46 3930.00	196.08 196.08	-283.05 -283.05	344.33	0.00	0.00	0.00	Green River Tongue
3535.34	0.00	304.7 I	3530.00	190.00		J-1-33	0.00	0.00		Oreal liver longue
4000.00	0.00	304.71	3970.46	196.08	-283.05	344.33	0.00	0.00	0.00	Marantah
4099.54	0.00	304.71	4070.00	196.08	-283.05	344.33	0.00	0.00	0.00	Wasatch
4100.00	0.00	304.71	4070.46	196.08	-283.05	344.33	0.00	0.00	0.00	
4200.00	0.00	304.71	4170.46	196.08	-283.05	344.33	0.00	0.00	0.00	
4300.00	0.00	304.71	4270.46	196.08	-283.05	344.33	0.00	0.00	0.00	
4400.00	0.00	304.71	4370.46	196.08	-283.05	344.33	0.00	0.00	0.00	
4500.00	0.00	304.71	4470.46	196.08	-283.05	344.33	0.00	0.00	0.00	
4600.00	0.00	304.71	4570.46	196.08	-283.05	344.33	0.00	0.00	0.00	
4700.00	0.00	304.71	4670.46	196.08	-283.05	344.33	0.00	0.00	0.00	
4800.00	0.00	304.71	4770.46	196.08	-283.05	344.33	0.00	0.00	0.00	:
4900.00	0.00	304.71	4870.46	196.08	-283.05	344.33	0.00	0.00	0.00	
4949.54	0.00	304.71	4920.00	196.08	-283.05	344.33	0.00	0.00	0.00	Chapita Wells
5000.00	0.00	304.71	4970.46	196.08	-283.05	344.33	0.00	0.00	0.00	·
5100.00	0.00	304.71	5070.46	196.08	-283.05	344.33	0.00	0.00	0.00	
5200.00	0.00	304.71	5170.46	196.08	-283.05	344.33	0.00	0.00	0.00	
5300.00	0.00	304.71	5270.46	196.08	-283.05	344.33	0.00	0.00	0.00	
5400.00	0.00	304.71	5370.46	196.08	-283.05	344.33	0.00	0.00	0.00	
5500.00	0.00	304.71	5470.46	196.08	-283.05	344.33	0.00	0.00	0.00	
5600.00	0.00	304.71	5570.46	196.08	-283.05	344.33	0.00	0.00	0.00	
5700.00	0.00	304.71	5670.46	196.08	-283.05	344.33	0.00	0.00	0.00	
5800.00	0.00	304.71	5770.46	196.08	-283.05	344.33	0.00	0.00	0.00	
5900.00	0.00	304.71	5870.46	196.08	-283.05	344.33	0.00	0.00	0.00	
6000.00	0.00	304.71	5970.46	196.08	-283.05	344.33	0.00	0.00	0.00	
6034.54	0.00	304.71	6005.00	196.08	-283.05	344.33	0.00	0.00	0.00	Uteland Buttes
6100.00	0.00	304.71	6070.46	196.08	-283.05	344.33	0.00	0.00	0.00	
6200.00	0.00	304.71	6170.46	196.08	-283.05	344.33	0.00	0.00	0.00	
6300.00	0.00	304.71	6270.46	196.08	-283.05 -2 <b>83</b> .05	344.33	0.00	0.00	0.00	
6400.00	0.00	304.71	6370.46	196.08	-283.05 -283.05	344.33	0.00	0.00	0.00	
6500.00	0.00	304.71	6470.46	196.08	-283.05	344.33	0.00	0.00	0.00	
0000.00			J.1. J. 10			J.1.00				

COMFIDENTIAL



# Ryan Energy Technologied **Planning Report**



Page:

3

Field:

Site:

Company: Dominion Exploration & Product

Uintah County, Utah LCU No. 16-12H

Well #16-12H Well: Wellpath: Original Hole

Date: 12/8/2006 Time: 10:31:48 Co-ordinate(NE) Reference: Well: Well #16-12H, True North

Vertical (TVD) Reference:

Est RKB 5605.0

Well (0.00N,0.00E,304.71Azi)

Section (VS) Reference:

Plan #1

	Sı	ar	V	ey
_			_	

Survey			~							
MD	Inci	Azim	TVD	+N/-S	+E/-W	VS	DLS	Build	Turn	Tool/Comment
ft	deg	deg	ft	ft	ft	ft	aeg/100π	deg/100ft	deg/100ft	
6600.00	0.00	304.71	6570.46	196.08	-283.05	344.33	0.00	0.00	0.00	
6700.00	0.00	304.71	6670.46	196.08	-283.05	344.33	0.00	0.00	0.00	
6800.00	0.00	304.71	6770.46	196.08	-283.05 -283.05	344.33	0.00	0.00	0.00	
6804.54	0.00	304.71	6775.00	196.08	-283.05 -283.05	344.33	0.00	0.00	0.00	Managanda
6900.00	0.00	304.71	6870.46	196.08	-263.05 -283.05	344.33	0.00	0.00	0.00	Mesaverde
7000.00	0.00	304.71		196.08						
7000.00	0.00	304.71	6970.46	190.00	-283.05	344.33	0.00	0.00	0.00	
7100.00	0.00	304.71	7070.46	196.08	-283.05	344.33	0.00	0.00	0.00	
7200.00	0.00	304.71	7170.46	196.08	-283.05	344.33	0.00	0.00	0.00	
7300.00	0.00	304.71	7270.46	196.08	-283.05	344.33	0.00	0.00	0.00	
7400.00	0.00	304.71	7370.46	196.08	-283.05	344.33	0.00	0.00	0.00	
7500.00	0.00	304.71	7470.46	196.08	-283.05	344.33	0.00	0.00	0.00	
7600.00	0.00	304.71	7570.46	400.00	202.05	244.22	0.00	0.00	0.00	
				196.08	-283.05	344.33	0.00	0.00	0.00	
7700.00	0.00	304.71	7670.46	196.08	-283.05	344.33	0.00	0.00	0.00	
7800.00	0.00	304.71	7770.46	196.08	-283.05	344.33	0.00	0.00	0.00	
7900.00	0.00	304.71	7870.46	196.08	-283.05	344.33	0.00	0.00	0.00	
8000.00	0.00	304.71	7970.46	196.08	-283.05	344.33	0.00	0.00	0.00	
8100.00	0.00	304.71	8070.46	196.08	-283.05	344.33	0.00	0.00	0.00	
8200.00	0.00	304.71	8170.46	196.08	-283.05	344.33	0.00	0.00	0.00	
8300.00	0.00	304.71	8270.46	196.08	-283.05	344.33	0.00	0.00	0.00	
8400.00	0.00	304.71	8370.46	196.08	-283.05	344.33	0.00	0.00	0.00	
8500.00	0.00	304.71	8470.46	196.08	-283.05	344.33	0.00	0.00	0.00	
	0.00	00474	0.570 46	400.00	202.05					
8600.00	0.00	304.71	8570.46	196.08	-283.05	344.33	0.00	0.00	0.00	
8700.00	0.00	304.71	8670.46	196.08	-283.05	344.33	0.00	0.00	0.00	
8800.00	0.00	304.71	8770.46	196.08	-283.05	344.33	0.00	0.00	0.00	
8900.00	0.00	304.71	8870.46	196.08	-283.05	344.33	0.00	0.00	0.00	
9000.00	0.00	304.71	8970.46	196.08	-283.05	344.33	0.00	0.00	0.00	
9100.00	0.00	304.71	9070.46	196.08	-283.05	344.33	0.00	0.00	0.00	
9200.00	0.00	304.71	9170.46	196.08	-283.05	344.33	0.00	0.00	0.00	
9300.00	0.00	304.71	9270.46	196.08	-283.05	344.33	0.00	0.00	0.00	
9400.00	0.00	304.71	9370.46	196.08	-283.05	344.33	0.00	0.00	0.00	
9504.54	0.00	304.71	9475.00	196.08	-283.05	344.33	0.00	0.00	0.00	PBHL
3307.04	0.00	JUT.1	547 5.00	150.00	200.00	J-755	0.00	0.00	0.00	1 51 15

#### Targets

Name	Description Dip.	Dir.	TVD ft	+N/-S ft	+E/-W ft	Map Northing ft	Map Easting ft	< Latitude> Deg Min Sec	< Longitude> Deg Min Sec
Vertical Point -Plan hit target			2780.00	196.08	-283.05	7126727.32	2167835.05	39 52 10.028 N	109 37 14.591 W
PBHL -Plan hit target			9475.00	196.08	-283.05	7126727.32	2167835.05	39 52 10.028 N	109 37 14.591 W

## **Casing Points**

MD ft	TVD ft	Diameter in	<b>Hole Size</b> in	Name	
2854.54	2825.00	9.625	12.250	Intermediate	

#### **Formations**

MD ft	TVD ft	Formations	Lithology	Dip Angle deg	Dip Direction deg
3634.54	3605.00	Wasatch Tongue		0.00	0.00
3959.54	3930.00	Green River Tongue		0.00	0.00
4099.54	4070.00	Wasatch		0.00	0.00
4949.54	4920.00	Chapita Wells		0.00	0.00
6034.54	6005.00	Uteland Buttes		0.00	0.00

CONFIDENTIAL



# Ryan Energy Technological **Planning Report**



Page:

Company: Dominion Exploration & Product

Field: Site:

Uintah County, Utah LCU No. 16-12H

Well:

Well #16-12H Wellpath: Original Hole

Date: 12/8/2006

Time: 10:31:48

Co-ordinate(NE) Reference: Well: Well #16-12H, True North

Vertical (TVD) Reference: Est RKB 5605.0

Section (VS) Reference:

Well (0.00N,0.00E,304.71Azi) Plan #1

**Formations** 

MD ft	TVD ft	Formations	Lithology	Dip Angle deg	Dip Direction deg
6804.54	6775.00	Mesaverde		0.00	0.00

## SURFACE USE PLAN

# **CONDITIONS OF APPROVAL**

Attachment for Permit to Drill

Name of Operator:

Dominion Exploration & Production 14000 Quail Springs Parkway, Suite 600

Oklahoma City, OK 73134

Well Location:

Address:

LCU 16-12H

SHL: 465' FSL & 377' FEL, Section 12-11S-20E BHL: 660' FSL & 660' FEL, Section 12-11S-20E

Uintah County, UT

The dirt contractor will be provided with an approved copy of the surface use plan of operations before initiating construction.

The BLM onsite inspection for the referenced well was conducted on Thursday, July 13, 2006 at approximately 10:45 am. In attendance at the onsite inspections were the following individuals:

Karl Wright

Brandon McDonald

Ken Secrest

Brandon Bowthorpe

Billy McClure
Don Hamilton

Nat. Res. Prot. Spec.

Wildlife Biologist Production Foreman

Surveyor

Foreman Agent Bureau of Land Management - Vernal Bureau of Land Management - Vernal

Dominion E & P, Inc.

Uintah Engineering & Land Surveying

LaRose Construction Buys & Associates, Inc.

## 1. Existing Roads:

- a. The proposed well site is located approximately 15.48 miles south of Ouray, UT.
- b. Directions to the proposed well site have been attached at the end of Exhibit B.
- c. The use of roads under State and County Road Department maintenance are necessary to access the Little Canyon Unit. However, an encroachment permit is not anticipated since no upgrades to the State or County Road system are proposed at this time.
- d. All existing roads will be maintained and kept in good repair during all phases of operation.
- e. Vehicle operators will obey posted speed restrictions and observe safe speeds commensurate with road and weather conditions.
- f. Since no improvements are anticipated to any State, County, Tribal or BLM access roads no topsoil striping will occur.
- g. An off-lease federal right-of-way is not anticipated for the access road or utility corridor since both are located within the existing Little Canyon Unit boundary.

#### 2. Planned Access Roads:

- a. From the existing LCU 8-12H access road an access is proposed trending south approximately 0.4 miles to the proposed well site. The access consists of entirely new disturbance and crosses no significant drainages.
- b. A road design plan is not anticipated at this time.
- c. The proposed access road will consist of a 24' travel surface within a 30' disturbed area across BLM lands.
- d. BLM approval to construct and utilize the proposed access road is requested with this application.
- e. A maximum grade of 10% will be maintained throughout the project.
- f. No turnouts are proposed.
- g. No low water crossings and no culverts are anticipated. Adequate drainage structures will be incorporated into the road.
- h. No surfacing material will come from federal or Indian lands.
- i. No gates or cattle guards are anticipated at this time.
- j. Surface disturbance and vehicular travel will be limited to the approved location access road.
- k. All access roads and surface disturbing activities will conform to the standards outlined in the Bureau of Land Management and Forest Service publication: <u>Surface Operating Standards for Oil and Gas Exploration and Development</u>, (1989).
- The operator will be responsible for all maintenance of the access road including drainage structures.

#### 3. Location of Existing Wells:

a. Exhibit B has a map reflecting these wells within a one mile radius of the proposed well.

#### 4. Location of Production Facilities:

- a. All permanent structures will be painted a flat, non-reflective Desert Brown or Carlsbad Canyon to match the standard environmental colors. All facilities will be painted within six months of installation. Facilities required to comply with the Occupational Safety and Health Act (OSHA) may be excluded.
- b. Site security guidelines identified in 43 CFR 3163.7-5 and Onshore Oil and Gas Order No. 3 will be adhered to.
- c. A gas meter run will be constructed and located on lease within 500 feet of the wellhead. Meter runs will be housed and/or fenced. All gas production and measurement shall comply with the provisions of 43 CFR 3162. 7-3, Onshore Oil and Gas Order No. 5, and American Gas Association (AGA) Report No. 3.
- d. A tank battery will be constructed on this lease, it will be surrounded by a dike of sufficient

capacity to contain the storage capacity of the largest tank. All loading lines and valves will be placed inside the berm surrounding the tank battery. All liquid hydrocarbons production and measurement shall conform to the provisions of 43 CFR 3162.7-3 and Onshore Oil and Gas Order No. 5 for natural gas production and measurement.

- e. Any necessary pits will be properly fenced to prevent any wildlife and livestock entry.
- f. All access roads will be maintained as necessary to prevent erosion and accommodate year-round traffic. The road will be maintained in a safe useable condition.
- g. The site will require periodic maintenance to ensure that drainages are kept open and free of debris, ice, and snow, and that surfaces are properly treated to reduce erosion, fugitive dust, and impacts to adjacent areas.
- h. A gas pipeline is associated with this application and is being applied for at this time. The proposed gas pipeline corridor will leave the northeast side of the well site and traverse 1,108' north to the proposed LCU 9-12H pipeline corridor then north 0.2 miles to the existing LCU 8-12H pipeline corridor.
- i. The new gas pipeline will be a 10" or less steel surface line within a 20' wide utility corridor.

  The use of the proposed well site and access roads will facilitate the staging of the pipeline construction. A new pipeline length of approximately 0.4 miles is associated with this well.
- j. Dominion intends on installing the pipeline on the surface by welding many joints into long lengths, dragging the long lengths into position and then completing a final welding pass to join the long lengths together. Dominion intends on connecting the pipeline together utilizing conventional welding technology.

#### 5. Location and Type of Water Supply:

a. The location and type of water supply has been addressed as number 11 within the previous drilling plan information.

#### 6. Source of Construction Material:

- a. The use of materials will conform to 43 CFR 3610.2-3.
- b. No construction materials will be removed from Ute Tribal or BLM lands.
- c. If any gravel is used, it will be obtained from a state approved gravel pit.

#### 7. Methods of Handling Waste Disposal:

- a. All wastes associated with this application will be contained and disposed of utilizing approved facilities.
- b. Drill cuttings will be contained and buried on site.
- c. The reserve pit will be located outboard of the location and along the southeast side of the pad.
- d. The reserve pit will be constructed so as not to leak, break, or allow any discharge.

- e. The reserve pit will be lined with 16 mil minimum thickness plastic nylon reinforced liner material. The liner will overlay a felt liner pad only if rock is encountered during excavation. The pit liner will overlap the pit walls and be covered with dirt and/or rocks to hold it in place. No trash, scrap pipe, etc., that could puncture the liner will be disposed of in the pit. Pit walls will be sloped no greater than 2:1. A minimum 2-foot freeboard will be maintained in the pit at all times during the drilling and completion operation.
- f. The reserve pit has been located in cut material. Three sides of the reserve pit will be fenced before drilling starts. The fourth side will be fenced as soon as drilling is completed, and shall remain until the pit is dry. After the reserve pit has dried, all areas not needed for production will be rehabilitated.
- g. No chemicals subject to reporting under SARA Title III (hazardous materials) in an amount greater than 10,000 pounds will be used, produced, stored, transported, or disposed of annually in association with the drilling, testing, or completion of the well. Furthermore, no extremely hazardous substances, as defined in 40 CFR 355, in threshold planning quantities, will be used, produced, stored, transported, or disposed of in association with the drilling, testing, or completion of the well.
- h. Trash will be contained in a trash cage and hauled away to an approved disposal site as necessary but no later than at the completion of drilling operations. The contents of the trash container will be hauled off periodically to the approved Uintah County Landfill near Vernal, Utah.
- i. Produced fluids from the well other than water will be produced into a test tank until such time as construction of production facilities is completed. Any spills of oil, gas, salt water or other produced fluids will be cleaned up and removed.
- j. After initial clean-up, a 400 bbl tank will be installed to contain produced waste water. This water will be transported from the tank to an approved Dominion disposal well for disposal.
- k. Produced water from the production well will be disposed of at the RBU 13-11F or RBU 16-19F disposal wells in accordance with Onshore Order #7.
- l. Any salts and/or chemicals, which are an integral part of the drilling system, will be disposed of in the same manner as the drilling fluid.
- m. Sanitary facilities will be on site at all times during operations. Sewage will be placed in a portable chemical toilet and the toilet replaced periodically utilizing a licensed contractor to transport by truck the portable chemical toilet so that its contents can be delivered to the Vernal Wastewater Treatment Facility in accordance with state and county regulations.

## 8. <u>Ancillary Facilities</u>:

a. Garbage Containers and Portable Toilets are the only ancillary facilities proposed in this application.

## 9. Well Site Layout: (See Exhibit B)

- a. The well will be properly identified in accordance with 43 CFR 3162.6.
- b. Access to the well pad will be from the north.
- c. The pad and road designs are consistent with BLM specification
- d. A pre-construction meeting with responsible company representative, contractors and the BLM will be conducted at the project site prior to commencement of surface-disturbing activities. The pad and road will be construction-staked prior to this meeting.
- e. The pad has been staked at its maximum size of 355' X 200'; however it will be constructed smaller if possible, depending upon rig availability. Should the layout change, this application will be amended and approved utilizing a sundry notice.
- f. All surface disturbing activities, will be supervised by a qualified, responsible company representative who is aware of the terms and conditions of the APD and specifications in the approved plans.
- g. All cut and fill slopes will be such that stability can be maintained for the life of the activity.
- h. Diversion ditches will be constructed as shown around the well site to prevent surface waters form entering the well site area.
- i. The site surface will be graded to drain away from the pit to avoid pit spillage during large storm events.
- j. The stockpiled topsoil (first 6 inches or maximum available) will be stored in a windrow on the uphill side of the location to prevent any possible contamination. All topsoil will be stockpiled for reclamation in such a way as to prevent soil loss and contamination.
- k. Pits will remain fenced until site cleanup.
- 1. The blooie line will be located at least 100 feet from the well head.
- m. Water injection may be implemented if necessary to minimize the amount of fugitive dust.

### 10. Plans for Restoration of the Surface (Interim Reclamation and Final Reclamation):

- a. Site reclamation for a producing well will be accomplished for portions of the site not required for the continued operation of the well.
- b. Upon well completion, any hydrocarbons in the pit shall be removed in accordance with 43 CFR 3162.7-1. Once the reserve pit is dry, the plastic nylon reinforced liner shall be torn and perforated before backfilling of the reserve pit. The reserve pit and that portion of the location not needed for production facilities/operations will be re-contoured to the approximate natural contours.
- c. Following BLM published Best Management Practices the interim reclamation will be completed within 90 days of completion of the well to reestablish vegetation, reduce dust and erosion and compliment the visual resources of the area.
  - a. All equipment and debris will be removed from the area proposed for interim

reclamation and the pit area will be backfilled and re-contoured.

b. The area outside of the rig anchors and other disturbed areas not needed for the operation of the well will be re-contoured to blend with the surrounding area and reseeded at 12 lbs /acre with the following native grass seeds:

1. Crested Wheat Grass

(4 lbs / acre)

2. Needle and Thread Grass

(4 lbs / acre)

3. Rice Grass

(4 lbs / acre)

- c. Reclaimed areas receiving incidental disturbance during the life of the producing well will be re-contoured and reseeded as soon as practical.
- d. The Operator will control noxious weeds along access road use authorizations, pipeline route authorizations, well sites, or other applicable facilities by spraying or mechanical removal. A list of noxious weeds may be obtained from the BLM or the appropriate County Extension Office. On BLM administered land, it is required that a Pesticide Use Proposal be submitted and approved prior to the application of herbicides, pesticides or possibly hazardous chemicals.
- e. Prior to final abandonment of the site, all disturbed areas, including the access road, will be scarified and left with a rough surface. The site will then be seeded and/or planted as prescribed by the BLM. The BLM recommended seed mix will be detailed within their approval documents.

#### 11. Surface and Mineral Ownership:

- a. Surface Ownership Federal under the management of the Bureau of Land Management Vernal Field Office, 170 South 500 East, Vernal, Utah 84078; 435-781-4400.
- b. Mineral Ownership Federal under the management of the Bureau of Land Management Vernal Field Office, 170 South 500 East, Vernal, Utah 84078; 435-781-4400.

#### 12. Other Information:

- a. AIA Archaeological has conducted a Class III archeological survey. A copy of the report has been submitted under separate cover to the appropriate agencies by AIA Archaeological.
- b. Alden Hamblin has conducted a paleontological survey. A copy of the report has been submitted under separate cover to the appropriate agencies by Alden Hamblin.
- c. Our understanding of the results of the onsite inspection are:
  - a. No Threatened and Endangered flora and fauna species were found during the onsite inspection.
  - b. No drainage crossings that require additional State or Federal approval are being
  - c. The wellsite is located within the MSO polygon though no MSO are known to existing in this area and suitable habitat was not found during the onsite visit.
  - d. An MSO survey may be required in the spring and may result in a March 15 to June 15 timing restriction for MSO species.
  - e. The wellsite is located within pronghorn antelope habitat and the final approval documents may contain a season restriction for pronghorn antelope fawning.


# 13. Operator's Representative and Certification


Title	Name	Office Phone
Company Representative (Roosevelt)	Ken Secrest	1-435-722-4521
Company Representative (Oklahoma)	Barbara Lester	1-405-749-5237
Agent for Dominion	Don Hamilton	1-435-719-2018

#### Certification:

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which currently exists; that the statements made in this APD package are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by Dominion Exploration & Production, Inc. and its contractors and subcontractors in conformity with this APD package and the terms and conditions under which it is approved. I also certify responsibility for the operations conducted on that portion of the leased lands associated with this application, with bond coverage being provided under Dominion's BLM bond. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

Signature: Don Hamilton Date: 12-22-06





# DOMINION EXPLR. & PROD., INC.

LCU #16-12H LOCATED IN UINTAH COUNTY, UTAH SECTION 12, T11S, R20E, S.L.B.&M.




PHOTO: VIEW FROM CORNER #5 TO LOCATION STAKE

**CAMERA ANGLE: NORTHWESTERLY** 




PHOTO: VIEW FROM BEGINNING OF PROPOSED ACCESS

**CAMERA ANGLE: SOUTHERLY** 





Uintah Engineering & Land Surveying 85 South 200 East Vernal, Utah 84078 435-789-1017 uels@uelsinc.com


LOCATION PHOTOS


MONTH DAY YEAR TAKEN BY: B.B. DRAWN BY: C.P. REVISED: 00-00-00

**РНОТО** 











# DOMINION EXPLR. & PROD., INC. LCU #16-12H SECTION 12, T11S, R20E, S.L.B.&M.

PROCEED IN A WESTERLY DIRECTION FROM VERNAL, UTAH ALONG U.S. HIGHWAY 40 APPROXIMATELY 14.0 MILES TO THE JUNCTION OF STATE HIGHWAY 88; EXIT LEFT AND PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 17.0 MILES TO OURAY, UTAH; PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 13.5 MILES ON THE SEEP RIDGE ROAD TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTHWEST: TURN RIGHT AND PROCEED IN A SOUTHWESTERLY DIRECTION APPROXIMATELY 1.8 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTH; TURN LEFT AND PROCEED IN A SOUTHERLY, THEN SOUTHEASTERLY DIRECTION APPROXIMATELY 2.7 MILES TO THE BEGINNING OF THE PROPOSED ACCESS FOR THE #9-12H TO THE SOUTHEAST; FOLLOW ROAD FLAGS IN A SOUTHEASTERLY DIRECTION APPROXIMATELY 0.2 MILES TO THE PROPOSED #9-12H AND THE BEGINNING OF THE PROPOSED ACCESS TO THE SOUTHEAST; FOLLOW ROAD FLAGS IN A SOUTHEASTERLY DIRECTION APPROXIMATELY 0.2 MILES TO THE PROPOSED LOCATION.


TOTAL DISTANCE FROM VERNAL, UTAH TO THE PROPOSED WELL LOCATION IS APPROXIMATELY 49.4 MILES.





# WORKSHEET APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 12/28/2006	API NO. ASSIGNED: 43-047-38947						
WELL NAME: LCU 16-12H  OPERATOR: DOMINION EXPL & PROD ( N1095 ) PHONE NUMBER: 405-749-5237  CONTACT: DON HAMILTON							
PROPOSED LOCATION:	INSPECT LOCATN BY: / /						
SESE 12 110S 200E SURFACE: 0465 FSL 0377 FEL	Tech Review Initials Date						
BOTTOM: 0660 FSL 0660 FEL	Engineering						
COUNTY: UINTAH	Geology						
LATITUDE: 39.86898 LONGITUDE: -109.6191 UTM SURF EASTINGS: 618104 NORTHINGS: 44139	Surface						
FIELD NAME: UNDESIGNATED ( 2  LEASE TYPE: 1 - Federal							
LEASE NUMBER: UTU-73436	PROPOSED FORMATION: MVRD						
SURFACE OWNER: 1 - Federal	COALBED METHANE WELL? NO						
RECEIVED AND/OR REVIEWED:  Plat  Bond: Fed[1] Ind[] Sta[] Fee[]  (No. WY 3322 )  Potash (Y/N)  Oil Shale 190-5 (B) or 190-3 or 190-13  Water Permit  (No. 43-10447 )  RDCC Review (Y/N)  (Date: )  MM Fee Surf Agreement (Y/N)  LW Intent to Commingle (Y/N)	LOCATION AND SITING: R649-2-3.  Unit: LITTLE CANYON R649-3-2. General         Siting: 460 From Qtr/Qtr & 920' Between Wells         R649-3-3. Exception Drilling Unit         Board Cause No:						
STIPULATIONS: 1-federal Appro	M						



# **United States Department of the Interior**

BUREAU OF LAND MANAGEMENT
Utah State Office
P.O. Box 45155
Salt Lake City, Utah 84145-0155

IN REPLY REFER TO: 3160 (UT-922)

January 3, 2007

#### Memorandum

To:

Assistant District Manager Minerals, Vernal District

From:

Michael Coulthard, Petroleum Engineer

Subject:

2007 Plan of Development Little Canyon Unit Uintah County,

Utah.

Pursuant to email between Diana Whitney, Division of Oil, Gas and Mining, and Mickey Coulthard, Utah State Office, Bureau of Land Management, the following wells are planned for calendar year 2007 within the Little Canyon Unit, Uintah County, Utah.

API#

WELL NAME

LOCATION

(Proposed PZ MesaVerde)

43-047-38946 LCU 13-1H Sec 01 T11S R20E 1549 FSL 0870 FWL BHL Sec 01 T11S R20E 0600 FSL 0650 FWL

43-047-38947 LCU 16-12H Sec 12 T11S R20E 0465 FSL 0377 FEL BHL Sec 12 T11S R20E 0660 FSL 0660 FEL

This office has no objection to permitting the wells at this time.

/s/ Michael L. Coulthard

bcc:

File - Little Canyon Unit

Division of Oil Gas and Mining

Central Files Agr. Sec. Chron Fluid Chron



State of Utah

Department of Natural Resources

MICHAEL R. STYLER
Executive Director

Division of Oil, Gas & Mining

JOHN R. BAZA
Division Director

JON M. HUNTSMAN, JR. Governor

GARY R. HERBERT Lieutenant Governor

January 4, 2007

Dominion Exploration & Production, Inc. 14000 Quail Springs Parkway, Suite 600 Oklahoma City, OK 73134

Ь.

Little Canyon Unit 16-12H Well, Surface Location 465' FSL, 377' FEL, SE SE, Sec. 12, T. 11 South, R. 20 East, Bottom Location 660' FSL, 660' FEL, SE SE, Sec. 12, T. 11 South, R. 20 East, Uintah County, Utah

#### Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann.§ 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-38947.

Sincerely,

Gil Hunt

Associate Director

HIP X T

pab Enclosures

cc: Uintah County Assessor (via e-mail)

Bureau of Land Management, Vernal District Office

Operator:	Dominion Exploration & Production, Inc.				
Well Name & Number	Little Canyon Unit 16-12H				
API Number:	43-047-				
Lease:	UTU-73436				
Surface Location: SE SE Bottom Location: SE SE	Sec. 12 Sec. 12	T. 11 South T. 11 South	<b>R.</b> 20 East <b>2</b> 0 East		

## **Conditions of Approval**

#### 1. General

Compliance with the requirements of Utah Admin. R. 649-1 et seq., the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

## 2. Notification Requirements

Notify the Division within 24 hours of spudding the well.

• Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

• Contact Dan Jarvis at (801) 538-5338

# 3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

- 4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.
- 5. In accordance with Utah Admin. R.649-3-11, Directional Drilling, the operator shall submit a complete angular deviation and directional survey report to the Division within 30 days following completion of the well.

# Division of Oil, Gas and Mining

# **OPERATOR CHANGE WORKSHEET**

1. DJJ 2. CDW

Operator Name Change/Merger

The operator of the well(s) listed below has chan	ged, effectiv			7/1/2007					
FROM: (Old Operator):			TO: (New Op	perator):					
N1095-Dominion Exploration & Production, Inc			N2615-XTO E	,					
14000 Quail Springs Parkway, Suite 600			810 Houston St						
Oklahoma City, OK 73134		orth, TX 76	5102						
Phone: 1 (405) 749-1300	Phone: 1 (817)	870-2800							
CA No.			Unit:		LITTLE CA				
WELL NAME	SEC TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS		
SEE ATTACHED LIST									
OPERATOR CHANGES DOCUMENT	ATION								
Enter date after each listed item is completed									
1. (R649-8-10) Sundry or legal documentation wa	s received fi	rom the	FORMER ope	erator on:	8/6/2007				
2. (R649-8-10) Sundry or legal documentation wa	s received fi	rom the	NEW operator	on:	8/6/2007	1			
3. The new company was checked on the Departi	ment of Con	nmerce	, Division of Co	orporations	Database on:	•	8/6/2007		
4a. Is the new operator registered in the State of U			Business Numb	_	5655506-0143				
4b. If <b>NO</b> , the operator was contacted contacted of			•			•			
5a. (R649-9-2)Waste Management Plan has been re			IN PLACE						
5b. Inspections of LA PA state/fee well sites complete.			n/a	•					
			ok	-					
5c. Reports current for Production/Disposition & S		<b>57.1</b>		-					
6. Federal and Indian Lease Wells: The BL				_					
or operator change for all wells listed on Feder	al or Indian	leases o	on:	BLM	-	BIA	-		
7. Federal and Indian Units:									
The BLM or BIA has approved the successor	_			•		•			
8. Federal and Indian Communization Ag			•						
The BLM or BIA has approved the operator:							_		
9. Underground Injection Control ("UIC"	')	The Di	ivision has appro	oved UIC F	orm 5, Transfer	of Auth	ority to		
Inject, for the enhanced/secondary recovery un	ut/project fo	r the wa	ater disposal wel	ll(s) listed o	n:		_		
DATA ENTRY:									
1. Changes entered in the Oil and Gas Database	on:		9/27/2007	_					
2. Changes have been entered on the Monthly O <sub>I</sub>	perator Cha	inge Sp			9/27/2007				
3. Bond information entered in RBDMS on:			9/27/2007	_	•				
4. Fee/State wells attached to bond in RBDMS or			9/27/2007	-					
5. Injection Projects to new operator in RBDMS of			9/27/2007	- 0/27/2007					
6. Receipt of Acceptance of Drilling Procedures f	or APD/Nev	v on:		9/27/2007	-				
BOND VERIFICATION:			LTTD000120						
1. Federal well(s) covered by Bond Number:			UTB000138	-					
<ul><li>2. Indian well(s) covered by Bond Number:</li><li>3a. (R649-3-1) The NEW operator of any state/fe</li></ul>	o wall(a) lia	tad corr	n/a ered by Rond Ni	- umber	104312762				
3b. The <b>FORMER</b> operator has requested a release of liability from their bond on: 1/23/2008  The Division sent response by letter on:									
LEASE INTEREST OWNER NOTIFICATION:									
	4. (R649-2-10) The NEW operator of the fee wells has been contacted and informed by a letter from the Division								
of their responsibility to notify all interest owne									
COMMENTS:									

# STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES

DIVISION OF OIL, GAS AND MINNING	5. LEASE DESIGNATION AND SERIAL NUMBER:					
SUNDRY NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:					
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT or CA AGREEMENT NAME:					
1. TYPE OF WELL OIL WELL GAS WELL OTHER	8. WELL NAME and NUMBER;					
	SEE ATTACHED					
2. NAME OF OPERATOR:  XTO Energy Inc.  N36/15	9. API NUMBER:					
XTO Energy Inc. // 3/6/5 3. ADDRESS OF OPERATOR: 810 Houston Street PHONE NUMBER:	SEE ATTACHED  10. FIELD AND POOL, OR WILDCAT:					
CITY Fort Worth STATE TX ZIP 76102 (817) 870-2800	Natural Buttes					
4. LOCATION OF WELL	T. Clark Co.					
FOOTAGES AT SURFACE: SEE ATTACHED	соилту: Uintah					
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:	STATE: UTAH					
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPO	ORT, OR OTHER DATA					
TYPE OF SUBMISSION TYPE OF ACTION						
NOTICE OF INTENT	REPERFORATE CURRENT FORMATION					
(Submit in Duplicate)  ALTER CASING  FRACTURE TREAT	SIDETRACK TO REPAIR WELL					
Approximate date work will start: CASING REPAIR NEW CONSTRUCTION	TEMPORARILY ABANDON					
CHANGE TO PREVIOUS PLANS OPERATOR CHANGE	TUBING REPAIR					
CHANGE TUBING PLUG AND ABANDON	VENT OR FLARE					
SUBSEQUENT REPORT CHANGE WELL NAME PLUG BACK	WATER DISPOSAL					
(Submit Original Form Only)  CHANGE WELL STATUS  PRODUCTION (START/RESUME)	WATER SHUT-OFF					
Date of work completion:  COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE	OTHER:					
CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION						
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volume Effective July 1, 2007, XTO Energy Inc. has purchased the wells listed on the attachment						
Dominion Exploration & Production, Inc. 14000 Quail Springs Parkway, Suite 600 Oklahoma City, OK 73134   James D. Abercrombie  Sr. Vice President, General Manager - Western Business Unit  Please be advised that XTO Energy Inc. is considered to be the operator on the attached list and is responsible under the terms and conditions of the lease for the operations conducted upon the lease lands. Bond coverage is provided by Nationwide BLM Bond #104312750 and Department of Natural Resources Bond #104312762.						
NAME (PLEASE PRINT) Edwin S. Ryan, Jr.,  SIGNATURE COURS & Lipe Title Sr. Vice Preside  DATE 7/31/2007	nt - Land Administration					
(This space for State use only)	RECEIVED					
APPROVED 9 1371 07						
APPROVED 1101101	AUG 0 6 2007					

(5/2000)

Coulene Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

(See Instructions on Reverse Side)

DIV. OF OIL, GAS & MINING

# STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

# Request to Transfer Application or Permit to Drill

	(This form should a	ccompany a Sundry I	Notice, Form 9, requ	esting APD transfer)			
Well	name:	SEE ATTACHE	D LIST				
API	number:						
Loca	ation:	Qtr-Qtr:	Section:	Township Range			
Com	pany that filed original application:	DOMINION E&	Р				
Date	original permit was issued:						
Com	pany that permit was issued to:	DOMINION E	&P				
-							
Check		Desir	ed Action:				
	Transfer pending (unapproved) App	olication for Per	mit to Drill to ne	ew operator			
	The undersigned as owner with legal rights to drill on the property, hereby verifies that the information as submitted in the pending Application for Permit to Drill, remains valid and does not require revision. The new owner of the application accepts and agrees to the information and procedures as stated in the application.						
1	Transfer approved Application for Permit to Drill to new operator						
	The undersigned as owner with legal information as submitted in the previor revision.	rights to drill on thus approved ap	ne property as peoplication to drill,	ermitted, hereby verifies that the remains valid and does not requir	-e		
Following is a checklist of some items related to the application, which should be verified.					Yes	No	
If located on private land, has the ownership changed?				✓			
	If so, has the surface agreement been	updated?	kananggan kidar kapitangan da reme yang yang apad api banik met berilandi kabil dalih dali sebesah da sebesah				
requ	e any wells been drilled in the vicinity of irements for this location?					✓	
prop	Have there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well?				✓		
	e there been any changes to the access osed location?	route including o	wnership or righ	t-of-way, which could affect the		✓	
Has	the approved source of water for drilling	changed?				✓	
Have there been any physical changes to the surface location or access route which will require a change in						1	

Any desired or necessary changes to either a pending or approved Application for Permit to Drill that is being transferred, should be filed on a Sundry Notice, Form 9, or amended Application for Permit to Drill, Form 3, as appropriate, with necessary supporting information as required.

Name (please or nt) HOLLY C. PERKINS	Title REGULATORY COMPLIANCE TECH	
Signature Killy C. Terkins	Date 08/27/2007	
Representing (company name) XTO ENERGY INC.	•	

The person signing this form must have legal authority to represent the company or individual(s) to be listed as the new operator on the Application for Permit to Drill.

(3/2004) AUG 3 0 2007

plans from what was discussed at the onsite evaluation?

Is bonding still in place, which covers this proposed well? Bond No. 104312762

#### N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

api	well name	qtr_qtr	sec	twp	rng	lease num	entity	Lease	well	stat
4304736892	LCU 5-9H		09			UTU-34350	1	Federal	GW	APD
4304736893	LCU 5-17H	SWNW	17	<del> </del>		UTU-76265		Federal	GW	APD
4304736896	LCU 11-9H	NESW	09			UTU-76265		Federal	GW	APD
4304737059	LCU 2-17H	NWNE	17			UTU-76265	<del> -</del>	Federal	GW	APD
4304737285	LCU 11-17H	NESW	17			UTU-76265	<del> </del>	Federal	OW	APD
4304737286	LCU 7-17H	SWNE	17			UTU-76265		Federal	OW	APD
4304737448	LCU 9-8H	NESE	08			UTU-76265	<del> </del>	Federal	OW	APD
4304737653	LCU 14-9H	SESW	09			UTU-76265		Federal	GW	APD
4304737997	LCU 9-10H	NESE	10			UTU-44089		Federal	GW	APD
4304738069	LCU 8-35F	SENE	35			U-01470D		Federal	GW	APD
4304738070	LCU 12-35F	NWSW	35			U-01470D		Federal	GW	APD
4304738071	LCU 15-35F	SWSE	35			U-01470D	<del> </del>	Federal	GW	APD
4304738072	LCU 16-35F	SESE	35			U-01470D		Federal		APD
4304738073	LCU 1-1H	NENE	01			UTU-76264		Federal	GW	APD
4304738074	LCU 9-9H	NWSE	09			UTU-76265		Federal		APD
4304738093	LCU 9-1H	NESE	01		<b>_</b>	UTU-73436	1	Federal		APD
4304738094	LCU 6-1H	SENW	01			UTU-76264	-	Federal	GW	APD
4304738095	LCU 4-1H	NWNW	01			UTU-76264		Federal	GW	APD
4304738096	LCU 3-1H	NENW	01			UTU-76264		Federal	+	APD
4304738097	LCU 15-1H	SWSE	01			UTU-73436		Federal	GW	APD
4304738098	LCU 10-1H	NWSE	01			UTU-73436		Federal		APD
4304738183	LCU 6-35F	SENW	35			U-01470C		Federal	GW	APD
4304738184	LCU 8-9H	NWSE	09			UTU-34350		Federal		APD
4304738185	LCU 8-1H	SENE	01			UTU-76264	-	Federal	GW	APD
4304738296	LCU 3-17H	NENW	17			UTU-76265		Federal	1	APD
4304738297	LCU 12-17H	NWSW	17			UTU-76265	<b>—</b>	Federal		APD
4304738298	LCU 13-17H	SWSW	17			UTU-76265		Federal	-	APD
4304738379	LCU 2-3H	NWNE	03			UTU-44090-A		Federal		NEW
4304738419	LCU 16-10H	SESE	10			UTU-44089		Federal	GW	APD
4304738420	LCU 5-11H	SWNW	11			UTU-73436		Federal	GW	APD
4304738421	LCU 10-11H	NWSE	11	110S	200E	UTU-73436		Federal	GW	APD
4304738422	LCU 13-11H	SWSW	11	110S	200E	UTU-73436		Federal	GW	APD
4304738423	LCU 15-11H	SWSE	11	110S	200E	UTU-73436		Federal	GW	APD
4304738424	LCU 16-11H	SESE	11	110S	200E	UTU-73436		Federal	GW	APD
4304738503	LCU 4-12H	NENW	12	110S	200E	UTU-73436		Federal	GW	APD
4304738504	LCU 5-12H	NENW	12	110S	200E	UTU-73436		Federal	GW	APD
4304738505	LCU 6-12H	NENW	12	110S	200E	UTU-73436		Federal	GW	APD
4304738676	LCU 12-9H	NWSW	09	110S	200E	UTU-76265		Federal	GW	APD
4304738677	LCU 6-9H	SENW	09	110S	200E	UTU-34350		Federal	GW	APD
4304738678	LCU 4-11H	NWNW	11	110S	200E	UTU-73436		Federal	GW	APD
4304738679	LCU 9-12H	NESE	12	110S	200E	UTU-73436		Federal	GW	APD
4304738682	LCU 14-6G	SESW	06	110S	210E	UTU-81728		Federal	GW	APD
4304738683	LCU 13-6G	SWSW	06	110S	210E	UTU-81728		Federal	GW	APD
4304738684	LCU 10-6G	NWSE	06	110S	210E	UTU-81728		Federal	GW	APD
4304738685	LCU 5-6G	SWNW	06	110S	210E	UTU-75700		Federal	GW	APD
4304738686	LCU 4-6G	NWNW	06	110S	210E	UTU-75700		Federal	GW	APD
4304738687	LCU 7-6G	SWNE	06	110S	210E	UTU-075700		Federal	GW	APD
4304738688	LCU 3-6G	NENW	06	110S	210E	UTU-075700		Federal	GW	APD

1 09/27/2007

## N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

api	well_name	qtr_qtr	sec	twp	rng	lease_num	entity	Lease	well	stat
4304738784	LCU 11-35F	NESW	35	100S	200E	UTU-82703	1	Federal	GW	APD
4304738788	LCU 6-10H	SENW	10	110S	200E	UTU-44089	1	Federal	GW	APD
4304738789	LCU 13-10H	SWSW	10	110S	200E	UTU-44089		Federal	GW	APD
4304738790	LCU 11-11H	SESW	11	110S	200E	UTU-73436		Federal	GW	APD
4304738791	LCU 3-12H	NENW	12	110S	200E	UTU-73436		Federal	GW	APD
4304738892	LCU 7-10H	SWNE	10	110S	200E	UTU-44089	1	Federal	GW	APD
4304738893	LCU 1-12H	NENE	12	110S	200E	UTU-73436		Federal	GW	APD
4304738946	LCU 13-1H	NWSW	01	110S	200E	UTU-73436		Federal	GW	APD
4304738947	LCU 16-12H	SESE	12	110S	200E	UTU-73436	<u> </u>	Federal	GW	APD
4304739050	LCU 15-4H	SWSE	04	110S	200E	UTU-81430		Federal	GW	APD
4304739158	LCU 15-3H	SWSE	03	110S	200E	UTU-34350	1	Federal	GW	APD
4304739159	LCU 5-3H	NENE	04	110S	200E	UTU-44090-A		Federal	GW	APD
4304739160	LCU 4-3H	NENE	04	110S	200E	UTU-44090-A		Federal	GW	APD
4304739161	LCU 8-8H	SENE	08	110S	200E	UTU-81430		Federal	GW	APD
4304739220	LCU 9-35F	NESE	35	100S	200E	UTU-82703		Federal		APD
4304739221	LCU 7-35F	SWNE	35	100S	200E	UTU-82703		Federal	GW	APD
4304739224	LCU 14-10H	SESW	10	110S	200E	UTU-44089		Federal	GW	APD
4304739225	LCU 3-10H	NENW	10	110S	200E	UTU-44089		Federal	GW	APD
4304736773	LCU 6-16H	SENW	16	110S	200E	ML-48772		State	GW	APD
4304736808	LCU 13-12H	SWSW	12	110S	200E	FEE		Fee	GW	APD
4304736809	LCU 12-16H	NWSW	16	110S	200E	ML-48772		State	GW	APD
4304738027	LCU 1-2H	NENE	02	110S	200E	ML-48771		State	GW	APD
4304738255	LCU 6-2H	SENW	02	110S	200E	ML-48771		State	GW	APD
4304738272	LCU 3-2H	SENW	02	110S	200E	ML-48771		State	GW	APD
4304738343	LCU 14-2H	SESW	02	110S	200E	ML-48771		State	GW	APD
4304738675	LCU 16-2H	NWSW	01	110S	200E	ML-48771		State	GW	APD
4304738680	LCU 10-16H	NWSE	16			ML-48772		State	GW	APD
4304738681	LCU 14-16H	SESW	16	110S	200E	ML-48772		State	GW	APD
4304738785	LCU 5-36F	SWNW	36	100S	200E	ML-47391		State	GW	APD
4304739173	LCU 13-16H	SWSW	16	110S	200E	ML-48772		State	GW	APD
4304739174	LCU 11-16H	NESW	16	110S	200E	ML-48772		State	GW	APD
4304739223	LCU 4-16H	NWNW	16	110S	200E	ML-48772		State	GW	APD

2 09/27/2007



### United States Department of the Interior

## BUREAU OF LAND MANAGEMENT Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155



IN REPLY REFER TO 3180 UT-922

Dominion Exploration & Production, Inc. Attn: James D. Abercrombie 14000 Quail Springs Parkway, #600 Oklahoma City, OK 73134-2600

August 10, 2007

Re:

Little Canyon Unit Uintah County, Utah

#### Gentlemen:

On August 8, 2007, we received an indenture dated June 30, 2007, whereby Dominion Exploration & Production, Inc. resigned as Unit Operator and XTO Energy Inc. was designated as Successor Unit Operator for the Little Canyon Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective August 15, 2007. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Little Canyon Unit Agreement.

Your statewide oil and gas bond No. UTB000138 will be used to cover all operations within the River Bend Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Greg J. Noble

Greg J. Noble Acting Chief, Branch of Fluid Minerals

Enclosure

RECEIVED AUG 1 6 2007

## STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES						
_	5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-73436					
SUNDRY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: N/A					
Do not use in siferm for process site drume drumber contains	wike is, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to brais. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT OF CA AGREEMENT NAME: Little Canyon Unit				
1 TYPE OF WELL OIL WELL	GAS WELL OTHER	8. WELL NAME and NUMBER: LCU 16-12H				
2 NAME OF OPERATOR:		9. API NUMBER:				
XTO Energy, Inc.		4304738947				
P.O. Box 1360	Roosevelt CO 84066 PHONE NUMBER (435) 722-4521	10. FIELD AND POOL, OR WILDCAT  Natural Buttes				
4 LOCATION OF WELL						
FOOTAGES AT SURFACE. 465' FS	SL & 377' FEL	COUNTY: Uintah				
QTR/QTR, SECTION. TOWNSHIP, RANG	BE, MERIDIAN: SESE 12 11S 20E S	STATE UTAH				
11. CHECK APPR	OPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA				
TYPE OF SUBMISSION	TYPE OF ACTION					
✓ NOTICE OF INTENT	ACIDIZE DEEPEN	REPERFORATE CURRENT FORMATION				
(Submit in Duplicate)	ALTER CASING FRACTURE TREAT	SIDETRACK TO REPAIR WELL				
Approximate date work will start:	CASING REPAIR NEW CONSTRUCTION	TEMPORARILY ABANDON				
•	CHANGE TO PREVIOUS PLANS OPERATOR CHANGE	TUBING REPAIR				
	CHANGE TUBING PLUG AND ABANDON	VENT OR FLARE				
SUBSEQUENT REPORT (Submit Or ; mall Form Only)	CHANGE WELL NAME PLUG BACK	WATER DISPOSAL				
Date of work completion:	CHANGE WELL STATUS PRODUCTION (START/RESUME)	WATER SHUT-OFF				
Date of We week planting	COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE	✓ OTHER: Permit Extension				
	CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION					
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.						
XTO Energy, Inc. hereby requests a one year extension of the state permit for the referenced well.						
This is the first extension that has been requested.						
Approved by the Utah Division of Oil, Gas and Mining						

NAME (PLEASE PRINT)	Marnie Griffin	TITLE	Agent for XTO Energy, Inc.
SIGNATURE	My	DATE	11/28/2007

(This space for State use only)



## Application for Permit to Drill Request for Permit Extension Validation (this form should accompany the Sundry Notice requesting permit extension)

API: 4304738947  Well Name: LCU 16-12H  Location: 465' FSL & 377' FEL  Company Permit Issued to: XTO Energy, Inc.  Date Original Permit Issued: 1/4/2007				
The undersigned as owner with legal rights to drill on the property as perm above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision.	itted			
Following is a checklist of some items related to the application, which sho verified.	uld be			
If located on private land, has the ownership changed, if so, has the surfac agreement been updated? Yes ☐ No ☑	е			
Have any wells been drilled in the vicinity of the proposed well which would the spacing or siting requirements for this location? Yes ☐ No ☑	d affect			
Has there been any unit or other agreements put in place that could affect permitting or operation of this proposed well? Yes□No☑	the			
Have there been any changes to the access route including ownership, or of-way, which could affect the proposed location? Yes□ No ☑	right-			
Has the approved source of water for drilling changed? Yes□No☑				
Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes□No☑				
ls bonding still in place, which covers this proposed well? Yes ☑No □				
11/28/2007				
Signature Date				
Title: Agent				
Representing: XTO Energy, Inc.				

#### STATE OF LITAH

		DEPARTMENT OF NATURAL RESOUR	) CEC	2		LOUM 9
		DIVISION OF OIL, GAS AND MI				LEASE DESIGNATION AND SERIAL NUMBER: UTU-73436
SUNDRY NOTICES AND REPORTS ON WELLS						IF INDIAN, ALLOTTEE OR TRIBE NAME: N/A
Do r	not use this form för proposals to drill n drill horizontal la	ew wells, significantly deepen existing wells below curr tterals. Use APPLICATION FOR PERMIT TO DRILL fo	ent bo	ottom-hole depth, reenter plugged wells,		UNIT or CA AGREEMENT NAME: Little Canyon Unit
1. TY	PE OF WELL OIL WELL				1	WELL NAME and NUMBER: LCU-16-12H
	AME OF OPERATOR:		***************************************	t-w-t-standatuset	i.	API NUMBER: 4304738947
	O Energy, Inc. DDRESS OF OPERATOR:			PHONE NUMBER:	10	D. FIELD AND POOL, OR WILDCAT:
		Y Roosevelt STATE UT ZIP	840	66 (435) 722-452	1	Natural Buttes
	OCATION OF WELL.  DOTAGES AT SURFACE: 465' F	SL & 377' FEL			С	ounty: <b>Uintah</b>
Q.	TR/QTR, SECTION, TOWNSHIP, RAN	IGE, MERIDIAN: SESE 12 11S 2	0E	<b>S</b> .	s	TATÉ: <b>UTAH</b>
11.	CHECK APP	ROPRIATE BOXES TO INDICAT	ΕN	IATURE OF NOTICE, RI	EPORT	, OR OTHER DATA
	TYPE OF SUBMISSION		<del></del>	TYPE OF ACTION		
	NOTICE OF INTENT (Submit in Duplicate)	ACIDIZE  ALTER CASING		DEEPEN FRACTURE TREAT		REPERFORATE CURRENT FORMATION  SIDETRACK TO REPAIR WELL
	Approximate date work will start:	CASING REPAIR		NEW CONSTRUCTION		TEMPORARILY ABANDON
		CHANGE TO PREVIOUS PLANS		OPERATOR CHANGE		TUBING REPAIR
		CHANGE TUBING		PLUG AND ABANDON		VENT OR FLARE
$\checkmark$	SUBSEQUENT REPORT (Submit Original Form Only)	CHANGE WELL NAME		PLUG BACK		WATER DISPOSAL
	Date of work completion:	CHANGE WELL STATUS		PRODUCTION (START/RESUME)		WATER SHUT-OFF
		COMMINGLE PRODUCING FORMATIONS		RECLAMATION OF WELL SITE		OTHER: Permit Extension
		CONVERT WELL TYPE		RECOMPLETE - DIFFERENT FORMA	ATION	
12.	DESCRIBE PROPOSED OR CO	OMPLETED OPERATIONS. Clearly show all p	ertine	ent details including dates, depths,	volumes,	etc.
\/ <b>T</b>	-		41			
ΧI	O Energy, Inc. nereby	requests a one year extension of	tne	state permit for the refer	encea	well.
Th	is is the first extension	that has been requested.				
		Approved by the	<del>)</del>			
		Approved by the Utah Division of				
		Oil, Gas and Mini	ng		n E	CEIVEN
		On, Com				
		12 61-9	7			DEC - 1 2008
	•	Date: 12-01-18	T		u u	
		By:	$\overline{\mathcal{M}}$			F OIL, GAS & MINING
		Dy.			DIVO	r Uil, uno a
	<u> </u>	71	<u> </u>		<u>.</u>	
NAM	ME (PLEASE PRINT) Kendell Jo	ohnson		TITLE Agent for X1	ΓΟ Ene	rgy, Inc.
SIG	NATURE Klindlelt	dunden	·	DATE 11/14/2008		
(This s	pace for State use only)		<del></del>			
					COP	Y SENT TO OPERATOR

Date: 12 .4 . 2008
Initials: V5

# Application for Permit to Drill Request for Permit Extension Validation (this form should accompany the Sundry Notice requesting permit extension)

API: 4304738947  Well Name: LCU 16-12H  Location: 465' FSL & 377' FEL, SE SE Sec. 12, 11S-20E  Company Permit Issued to: XTO Energy, Inc.  Date Original Permit Issued: 1/4/2007					
The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision.					
Following is a checklist of some items related to the application, which should be verified.					
f located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes□No☑					
Have any wells been drilled in the vicinity of the proposed well which would affect he spacing or siting requirements for this location? Yes☐No☑					
Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes□No☑					
Have there been any changes to the access route including ownership, or right-of-way, which could affect the proposed location? Yes ☐ No ☑					
las the approved source of water for drilling changed? Yes□No☑					
Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes ☐ No ☑					
s bonding still in place, which covers this proposed well? Yes ☑No□					
Kendeughnson 11/14/2008					
Signature Date					
Fitle: Kendell Johnson					
Representing: XTO Energy, Inc.					

	STATE OF UTAH		FORM 9
	DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINI		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-73436
SUNDF	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
Do not use this form for proposition-hole depth, reenter plu DRILL form for such proposals.	7.UNIT or CA AGREEMENT NAME: LITTLE CANYON		
1. TYPE OF WELL Gas Well	8. WELL NAME and NUMBER: LCU 16-12H		
2. NAME OF OPERATOR: XTO ENERGY INC			9. API NUMBER: 43047389470000
3. ADDRESS OF OPERATOR: 382 Road 3100 , Aztec, NM, 8	7410 505 333-3159 Ext	PHONE NUMBER:	9. FIELD and POOL or WILDCAT: HILL CREEK
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0465 FSL 0377 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: SESE Section: 12	P, RANGE, MERIDIAN: Township: 11.0S Range: 20.0E Meridian: S		STATE: UTAH
11. CHE	CK APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPORT,	OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
NOTICE OF INTENT Approximate date work will start: 12/1/2010	☐ ACIDIZE ☐  CHANGE TO PREVIOUS PLANS ☐  CHANGE WELL STATUS ☐	ALTER CASING  CHANGE TUBING  COMMINGLE PRODUCING FORMATIONS	<ul><li>☐ CASING REPAIR</li><li>☐ CHANGE WELL NAME</li><li>☐ CONVERT WELL TYPE</li></ul>
SUBSEQUENT REPORT Date of Work Completion:	☐ DEEPEN ☐ OPERATOR CHANGE ☐	FRACTURE TREAT PLUG AND ABANDON	<ul><li>□ NEW CONSTRUCTION</li><li>□ PLUG BACK</li></ul>
SPUD REPORT Date of Spud:	☐ PRODUCTION START OR RESUME ☐ REPERFORATE CURRENT FORMATION ☐	RECLAMATION OF WELL SITE  SIDETRACK TO REPAIR WELL	☐ RECOMPLETE DIFFERENT FORMATION ☐ TEMPORARY ABANDON
	☐ TUBING REPAIR	VENT OR FLARE	☐ WATER DISPOSAL
DRILLING REPORT Report Date:	□ WATER SHUTOFF     □ WILDCAT WELL DETERMINATION    □	SI TA STATUS EXTENSION  OTHER	✓ APD EXTENSION
12. DESCRIBE PROPOSED OR CO	MPLETED OPERATIONS. Clearly show all pertin		OTHER:
l .	ests a one year extension one the referenced well.	ne Stae permit for the	Approved by the Utah Division of Oil, Gas and Mining ate: November 30, 2009
		В	y: Boly III
NAME (PLEASE PRINT) Eden Fine	<b>PHONE NUMBER</b> 505 333-3664	<b>TITLE</b> Permitting Clerk	
SIGNATURE N/A		DATE 11/30/2009	



#### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

#### Request for Permit Extension Validation Well Number 43047389470000

**API:** 43047389470000 Well Name: LCU 16-12H

Location: 0465 FSL 0377 FEL QTR SESE SEC 12 TWNP 110S RNG 200E MER S

**Company Permit Issued to:** XTO ENERGY INC

**Date Original Permit Issued:** 1/4/2007

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not

uire revi	sion. Following is a che	cklist of some items related t	to the application, which should be verified.
	ated on private land, ha ed? 🗍 Yes 🍺 No	s the ownership changed, if s	so, has the surface agreement been
		n the vicinity of the proposed ocation? ( Yes ( No	d well which would affect the spacing or
	nere been any unit or ot s proposed well?		that could affect the permitting or operation
	there been any changes the proposed location?		ng ownership, or rightof- way, which could
• Has th	ne approved source of v	vater for drilling changed?	Yes 📵 No
		changes to the surface locat as discussed at the onsite ev	tion or access route which will require a valuation? ( Yes ( No
• Is bor	nding still in place, whic	h covers this proposed well?	Approved by the No Utah Division of Oil, Gas and Mining
nature:	Eden Fine	<b>Date:</b> 11/30/2009	
Title:	Permitting Clerk Represe	enting: XTO ENERGY INC	<b>Date:</b> November 30, 2009
		<del>-</del>	$\rho_{ij} = \rho_{ij} = \rho_{ij}$

Sig

	STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES		FORM 9
	G	<b>5.LEASE DESIGNATION AND SERIAL NUMBER:</b> UTU-73436	
SUNDF	N WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
Do not use this form for proposition-hole depth, reenter plu DRILL form for such proposals.		7.UNIT or CA AGREEMENT NAME: LITTLE CANYON	
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: LCU 16-12H
2. NAME OF OPERATOR: XTO ENERGY INC			<b>9. API NUMBER:</b> 43047389470000
3. ADDRESS OF OPERATOR: 382 Road 3100 , Aztec, NM, 8	7410 505 333-3159 Ext	IUMBER:	9. FIELD and POOL or WILDCAT: HILL CREEK
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0465 FSL 0377 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHI	IP, RANGE, MERIDIAN: Township: 11.0S Range: 20.0E Meridian: S		STATE: UTAH
11. CHE	CK APPROPRIATE BOXES TO INDICATE N	IATURE OF NOTICE, REPORT,	OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
✓ NOTICE OF INTENT	☐ ACIDIZE ☐ ☐ CHANGE TO PREVIOUS PLANS ☐	ALTER CASING CHANGE TUBING	CASING REPAIR
Approximate date work will start: 1/10/2012	☐ CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	☐ CHANGE WELL NAME ☐ CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	☐ DEEPEN ☐ ☐ OPERATOR CHANGE ☐	FRACTURE TREAT PLUG AND ABANDON	□ NEW CONSTRUCTION □ PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	☐ REPERFORATE CURRENT FORMATION ☐ ☐ TUBING REPAIR ☐	SIDETRACK TO REPAIR WELL VENT OR FLARE	☐ TEMPORARY ABANDON ☐ WATER DISPOSAL
DRILLING REPORT Report Date:	_	SI TA STATUS EXTENSION	✓ APD EXTENSION
12 DESCRIPE PROPOSED OF CO	WILDCAT WELL DETERMINATION  DMPLETED OPERATIONS. Clearly show all pertinen	OTHER	OTHER:
XTO Energy hereby re	equests a one (1) year extension referenced well.	of the State APD for the	
NAME (PLEASE PRINT) Krista Wilson	<b>PHONE NUMBER</b> 505 333-3647	TITLE Permitting Tech	
SIGNATURE		DATE 1/10/2011	



Sig

#### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

#### Request for Permit Extension Validation Well Number 43047389470000

**API:** 43047389470000 **Well Name:** LCU 16-12H

Location: 0465 FSL 0377 FEL QTR SESE SEC 12 TWNP 110S RNG 200E MER S

**Company Permit Issued to:** XTO ENERGY INC

**Date Original Permit Issued:** 1/4/2007

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

iire revision. Followi	ng is a checklist of some iten	is related to the applic	ation, which should be verified.
• If located on priva updated? Yes	te land, has the ownership c	nanged, if so, has the s	surface agreement been
	en drilled in the vicinity of these for this location?		would affect the spacing or
Has there been an of this proposed w		ut in place that could a	iffect the permitting or operation
	ny changes to the access rou d location? 🔵 Yes 📵 No	te including ownership	o, or rightof- way, which could
• Has the approved	source of water for drilling cl	nanged? 🔵 Yes 📵	No
	ny physical changes to the su om what was discussed at the		
• Is bonding still in	place, which covers this prop	osed well? 📵 Yes 🤅	Approved by the No Utah Division of Oil, Gas and Mining
<b>nature:</b> Krista Wilson			01/11/2011
<b>Title:</b> Permitting Te	ech <b>Representing:</b> XTO ENERG	Y INC	Date: 01/11/2011
			By: Dally Sill

Sundry Number: 21121 API Well Number: 43047389470000

	STATE OF UTAH		FORM 9		
	DEPARTMENT OF NATURAL RESOURCE DIVISION OF OIL, GAS, AND MIN		<b>5.LEASE DESIGNATION AND SERIAL NUMBER:</b> UTU-73436		
SUNDF	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:				
Do not use this form for proposottom-hole depth, reenter plu DRILL form for such proposals.	7.UNIT or CA AGREEMENT NAME: LITTLE CANYON				
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: LCU 16-12H		
2. NAME OF OPERATOR: XTO ENERGY INC			<b>9. API NUMBER:</b> 43047389470000		
<b>3. ADDRESS OF OPERATOR:</b> 382 Road 3100 , Aztec, NM, 8		NE NUMBER:	9. FIELD and POOL or WILDCAT: HILL CREEK		
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0465 FSL 0377 FEL	D DANCE MEDIDYAN.		COUNTY: UINTAH		
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: SESE Section: 12	P, RANGE, MERIDIAN: Township: 11.0S Range: 20.0E Meridian: S	5	STATE: UTAH		
11. CHE	CK APPROPRIATE BOXES TO INDICAT	TE NATURE OF NOTICE, REPORT	, OR OTHER DATA		
TYPE OF SUBMISSION		TYPE OF ACTION			
	☐ ACIDIZE	☐ ALTER CASING	CASING REPAIR		
Approximate date work will start:	☐ CHANGE TO PREVIOUS PLANS	☐ CHANGE TUBING	☐ CHANGE WELL NAME		
1/1/2013	☐ CHANGE WELL STATUS	☐ COMMINGLE PRODUCING FORMATIONS	☐ CONVERT WELL TYPE		
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION		
Date of Work Completion:	OPERATOR CHANGE	☐ PLUG AND ABANDON	☐ PLUG BACK		
_	PRODUCTION START OR RESUME	☐ RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION		
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	☐ SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON		
	☐ TUBING REPAIR	☐ VENT OR FLARE	WATER DISPOSAL		
☐ DRILLING REPORT	☐ WATER SHUTOFF	☐ SI TA STATUS EXTENSION	✓ APD EXTENSION		
Report Date:	☐ WILDCAT WELL DETERMINATION	OTHER	OTHER:		
	MPLETED OPERATIONS. Clearly show all per equests a one (1) year extens referenced well.	ion of the State APD for t			
NAME (PLEASE PRINT) Krista Wilson	<b>PHONE NUMBER</b> 505 333-3647	TITLE Permitting Tech			
SIGNATURE N/A		DATE 12/9/2011			

Sundry Number: 21121 API Well Number: 43047389470000



#### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

#### Request for Permit Extension Validation Well Number 43047389470000

**API:** 43047389470000 **Well Name:** LCU 16-12H

Location: 0465 FSL 0377 FEL QTR SESE SEC 12 TWNP 110S RNG 200E MER S

Company Permit Issued to: XTO ENERGY INC

**Date Original Permit Issued:** 1/4/2007

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

<ul> <li>If located on private land, has the ownership changed, if so, has the surface agreement been updated?</li> <li>Yes</li> <li>No</li> </ul>
<ul> <li>Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?</li> <li>Yes</li> <li>No</li> </ul>
<ul> <li>Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well?</li> <li>Yes</li> <li>No</li> </ul>
<ul> <li>Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location?</li> <li>Yes </li> <li>No</li> </ul>
• Has the approved source of water for drilling changed?   Yes   No
<ul> <li>Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?</li> <li>Yes </li> <li>No</li> </ul>
• Is bonding still in place, which covers this proposed well?   Yes   No

Signature: Krista Wilson Date: 12/9/2011

Title: Permitting Tech Representing: XTO ENERGY INC

Sundry Number: 33372 API Well Number: 43047389470000

	FORM 9				
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-73436		
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.			7.UNIT or CA AGREEMENT NAME: LITTLE CANYON		
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: LCU 16-12H		
2. NAME OF OPERATOR: XTO ENERGY INC			9. API NUMBER: 43047389470000		
<b>3. ADDRESS OF OPERATOR:</b> PO Box 6501 , Englewood, CO, 80155  PHONE NUMBER: 303 397-3727 Ext			9. FIELD and POOL or WILDCAT: HILL CREEK		
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0465 FSL 0377 FEL			COUNTY: UINTAH		
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SESE Section: 12 Township: 11.0S Range: 20.0E Meridian: S			STATE: UTAH		
CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA					
TYPE OF SUBMISSION	TYPE OF ACTION				
	ACIDIZE	ALTER CASING	CASING REPAIR		
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME		
11/30/2013	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE		
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION		
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK		
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION		
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON		
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL		
DRILLING REPORT	WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION		
Report Date:	WILDCAT WELL DETERMINATION	OTHER	OTHER:		
12. DESCRIBE PROPOSED OR	COMPLETED OPERATIONS. Clearly show al	I pertinent details including dates, o	depths, volumes, etc.		
	its a one (1) year extension of referenced well.		Approved by the Utah Division of Oil, Gas and Mining		
			Date: January 07, 2013		
			By: Basylll		
			35		
NAME (PLEASE PRINT) PHONE NUMBER Richard L. Redus 303 397-3712		R TITLE Regulatory			
SIGNATURE N/A		DATE 1/2/2013			

Sundry Number: 33372 API Well Number: 43047389470000



#### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

#### Request for Permit Extension Validation Well Number 43047389470000

API: 43047389470000 Well Name: LCU 16-12H

Location: 0465 FSL 0377 FEL QTR SESE SEC 12 TWNP 110S RNG 200E MER S

Company Permit Issued to: XTO ENERGY INC

Date Original Permit Issued: 1/4/2007

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

···
<ul> <li>If located on private land, has the ownership changed, if so, has the surface agreement been updated?</li> <li>Yes</li> <li>No</li> </ul>
<ul> <li>Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?</li> <li>Yes</li> <li>No</li> </ul>
<ul> <li>Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well?</li> <li>Yes</li> <li>No</li> </ul>
<ul> <li>Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location?</li> <li>Yes</li> <li>No</li> </ul>
• Has the approved source of water for drilling changed?   Yes  No
<ul> <li>Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?</li> <li>Yes</li> <li>No</li> </ul>
• Is bonding still in place, which covers this proposed well?   Yes   No
nature: Richard L. Redus Date: 1/2/2013

Sig

Representing: XTO ENERGY INC Title: Regulatory

Sundry Number: 46281 API Well Number: 43047389470000

	FORM 9					
STATE OF UTAH  DEPARTMENT OF NATURAL RESOURCES  DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-73436			
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:			
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.			7.UNIT or CA AGREEMENT NAME: LITTLE CANYON			
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: LCU 16-12H			
2. NAME OF OPERATOR: XTO ENERGY INC	9. API NUMBER: 43047389470000					
3. ADDRESS OF OPERATOR: PHONE NUMBER: PO Box 6501, Englewood, CO, 80155 303 397-3727 Ext			9. FIELD and POOL or WILDCAT: HILL CREEK			
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0465 FSL 0377 FEL			COUNTY: UINTAH			
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SESE Section: 12 Township: 11.0S Range: 20.0E Meridian: S			STATE: UTAH			
11. CHEC	K APPROPRIATE BOXES TO INDICAT	TE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION					
7	ACIDIZE	ALTER CASING	CASING REPAIR			
A D / 7 / 2 O 4 4	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME			
10/7/2014	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE			
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION			
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK			
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION			
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON			
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL			
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION			
Report Date:	WILDCAT WELL DETERMINATION	OTHER	OTHER:			
12. DESCRIBE PROPOSED OR	COMPLETED OPERATIONS. Clearly show a	all pertinent details including dates.	depths, volumes, etc.			
I .	sts a one (1) year extension o		Approved by the			
	referenced well.		Utah Division of Oil, Gas and Mining			
			Date: January 08, 2014			
			By: Basylll			
NAME (PLEASE PRINT)	PHONE NUMB					
Sephra Baca	719 845-2103	Regulatory Analyst				
SIGNATURE N/A		<b>DATE</b> 12/31/2013				

Sundry Number: 46281 API Well Number: 43047389470000



#### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

#### Request for Permit Extension Validation Well Number 43047389470000

**API:** 43047389470000 **Well Name:** LCU 16-12H

Location: 0465 FSL 0377 FEL QTR SESE SEC 12 TWNP 110S RNG 200E MER S

Company Permit Issued to: XTO ENERGY INC

Date Original Permit Issued: 1/4/2007

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

• If located on private land, has the ownership changed, if so, has the surface agreement been updated?  Yes  No
<ul> <li>Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?</li> <li>Yes</li> <li>No</li> </ul>
<ul> <li>Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well?</li> <li>Yes</li> <li>No</li> </ul>
<ul> <li>Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location?</li> <li>Yes</li> <li>No</li> </ul>
• Has the approved source of water for drilling changed? 🔘 Yes 📵 No
<ul> <li>Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?</li> <li>Yes</li> <li>No</li> </ul>
• Is bonding still in place, which covers this proposed well?   Yes   No

Signature: Sephra Baca Date: 12/31/2013
Title: Regulatory Analyst Representing: XTO ENERGY INC



### State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER

Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA

February 12, 2015

Division Director

Malia Villers XTO Energy, Inc. 382 Road 3100 Aztec, NM 87410 43 047 38947 LCU 16-12H

APDs Rescinded XTO Energy, Inc. LLC, Uintah County Re:

Dear Ms. Villers:

Enclosed find the list of APDs that you asked to be rescinded. No drilling activity at these locations has been reported to the division. Therefore, approval to drill these wells is hereby rescinded as of February 12, 2015.

A new APD must be filed with this office for approval prior to the commencement of any future work on the subject location.

If any previously unreported operations have been performed on this well location, it is imperative that you notify the Division immediately.

Sincerely.

iano. Illason

Environmental Scientist

cc: Well File

Bureau of Land Management, Vernal



RBU 2-20E 43-047-36202
RBU 15-20E 43-047-36203
RBU 10-20E 43-047-36204
RBU 14-21E 43-047-36205
LCU 13-1H 43-047-38946
ABU 37-23E 43-047-40586
RBU 21-23E 43-047-40587
RBU 43-18F 43-047-40590
RBU 45-18F 43-047-40591